



METROCENTRE

MICROSURGICAL VASECTOMY REVERSAL & OPEN-ENDED VASECTOMY

CONSENT FORM

PENTHROX INHALER

Penthrox is a non-narcotic inhalation analgesic that is self-administered via the Penthrox Inhaler to provide rapid relief with a gradual offset. Relief will commence after approximately 6-10 breaths and relief will persist for several minutes after ceasing use of Penthrox. You are in control of your level of relief.

Adverse indications for Penthrox use

Penthrox should not be given to patients with a history of significant kidney disease or liver damage. Penthrox should not be given if you have had antibiotics within the last 2 weeks (except Amoxil)

Recovery

The effects of Penthrox are usually brief, however they may persist for some time after use. Recovery commonly occurs within 5-10 minutes however, **you are not permitted to drive for the rest of the day after using Penthrox.**

Side Effects

Headaches and nausea may occasionally occur.

Extremely Rare Side Effects

Extremely rare side effects could include kidney or liver failure requiring transplantation of the organ.

I have read this information and consent to the use of Penthrox under the guidance of my administering doctor.

I confirm that I do not have known liver or kidney problems

I confirm that I have not taken antibiotics within the last 2 weeks (Excluding Amoxil)

I understand that I will not drive for the remainder of the day

Patient Name:

Patient Signature:

Doctors Signature:

Date:

WWW.METROCENTRE.COM.AU

Ph: 1800 367 636

SYDNEY



MELBOURNE



BRISBANE



GOLD COAST